IN THE CLAIMS

The following claim set replaces all prior versions, and listings, of claims in the application:

- 1. (Original) A photo-curable resin composition containing (A) a cyclic acetal compound, (B) an epoxy compound, and (C) a photocationic polymerization initiator.
- 2. (Original) A photo-curable resin composition containing (A) 5 to 80 wt% of a cyclic acetal compound, (B) 94.9 to 20 wt% of an epoxy compound, and (C) 0.1 to 10 wt% of a photocationic polymerization iniaitor (provided that total of the components (A), (B), and (C) is 100 wt%).
- 3. (Original) A photo-curable resin composition containing (A) 10 to 40 wt% of a cyclic acetal compound, (B) 89.8 to 60 wt% of an epoxy compound, and (C) 0.2 to 6 wt% of a photocationic polymerization initiator (provided that total of the compounds (A), (B), and (C) is 100 wt%).
- 4. (Original) A photo-curable resin composition according to any one of claims 1 to 3, wherein the cyclic acetal compound (A) is at least one kind selected from the group consisting of: trioxane; 1,3-dioxolane; 1,4-butanediol formal; and diethylene glycol formal.
- 5. (Original) A photo-curable resin composition according to any one of claims 1 to 3, wherein the epoxy compound (B) is (i) an epoxycyclohexyl group-containing compound and/or (ii) a glycidyl group-containing compound.
- 6. (Original) A photo-curable resin composition according to claim 5, wherein the epoxy compound (B) further contains an epoxy polymer compound having a number average molecular weight of 1,000 to 20,000 in terms of polystyrene as measured by GPC.

Hiroyuki KANAI Serial No. 10/613,746 September 6, 2005

- 7. (Original) A photo-curable resin composition according to any one of claims 1 to 3, wherein the photocationic polymerization initiator (C) is an aromatic onium salt.
- 8. (Original) A photo-curable resin composition according to claim 7, wherein the aromatic onium salt is a triarylsulfonium salt.

9 - 11. (Cancelled)

- 12. (Original) A photo-curable resin composition according to any one of claims 1 to 3. further containing a photosensitizer (g) besides the components (A), (B), and (C).
- 13. (Original) A photo-curable resin composition according to any one of claims 1 to 3, having a viscosity (25°C) of 50 to 2,000 mPa·s.
- 14. (Original) A cured product obtained by photo-curing a photo-curable resin composition according to any one of claims 1 to 3.
- 15. (Original) A cured product obtained by photo-curing a photo-curable resin composition according to claim 4.
- 16. (Original) A cured product obtained by photo-curing a photo-curable resin composition according to claim 5.
- 17. (Original) A cured product obtained by photo-curing a photo-curable resin composition according to claim 6.
- 18. (Original) A cured product obtained by photo-curing a photo-curable resin composition according to claim 7.
- 19. (Original) A cured product obtained by photo-curing a photo-curable resin composition according to claim 8.

20. (Cancelled)